

PharmLabs San Diego Certificate of Analysis



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-17-0000008-TEMP
 ISO/IEC 17025:2005 Certification L17-427-1 | Accreditation #85368
 (https://www.dropbox.com/s/4ha8teqkqj9zj8b/L17-427-1_PharmLabs_San_Diego.pdf?dl=0)

Sample **PharmaHemp Complex CBD Isolate**

Sample ID SD181226-008 (28152)	Matrix Isolate (Other Cannabis Product)	Batch ID 120718
Tested for MathCo Health Corp		
Sampled -	Received Jul 10, 2019	Reported Jul 23, 2019
Analyses executed CAN, RES, MIBNIG, PES		

*CAN - Cannabinoid Profile Analysis

Analyzed **Jul 10, 2019** | Instrument **HPLC** | Method **M-004, SOP-009, SOP-015, SOP-019**

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g
Cannabidiolic Acid (CBDA)	0.01	0.02	ND	ND
Cannabigerol (CBG)	0.03	0.09	ND	ND
Cannabidiol (CBD)	0.01	0.04	≥ 99.9	≥ 999
Cannabinol (CBN)	0.03	0.1	ND	ND
Tetrahydrocannabinol (THC)	0.04	0.15	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.03	0.11	ND	ND
Total THC (THCa * 0.877 + THC)			0.00	0.00
Total CBD (CBDA * 0.877 + CBD)			≥ 99.90	≥ 999.00

Sample photography



MIBNIG - Microbial Testing Analysis

Analyzed **Jul 11, 2019** | Instrument **Plating and ELISA Reader** | Method **SOP-004 & SOP-011**

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	Negative	ND per 1 gram	Salmonella spp.	Negative	ND per 1 gram

PES - Pesticides Screening Analysis

Analyzed **Jul 11, 2019** | Instrument **LC/MSMS GC/MSD** | Method

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.025	0.1	ND	0.025	Carbofuran	0.025	0.1	ND	0.025
Dimethoate	0.025	0.1	ND	0.025	Etofenprox	0.025	0.1	ND	0.025
Fenoxycarb	0.025	0.1	ND	0.025	Thiacloprid	0.025	0.1	ND	0.025
Daminozide	0.025	0.1	ND	0.025	Dichlorvos	0.025	0.1	ND	0.025
Imazalil	0.025	0.1	ND	0.025	Methiocarb	0.025	0.1	ND	0.025
Spiroxamine	0.025	0.1	ND	0.025	Coumaphos	0.025	0.1	ND	0.025
Fipronil	0.025	0.1	ND	0.025	Pacllobutrazol	0.025	0.1	ND	0.025
Chlorpyrifos	0.025	0.1	ND	0.025	Ethoprophos (Prophos)	0.025	0.1	ND	0.025
Baygon (Propoxur)	0.025	0.1	ND	0.025	Chlordane	0.025	0.1	ND	0.025
Chlorfenapyr	0.025	0.1	ND	0.025	Methyl Parathion	0.025	0.1	ND	0.025
Mevinphos	0.025	0.1	ND	0.025	Abamectin	0.025	0.05	ND	0.3
Acephate	0.025	0.05	ND	5	Acetamiprid	0.025	0.05	ND	5
Azoxystrobin	0.025	0.05	ND	40	Bifenazate	0.025	0.05	ND	5
Bifenthrin	0.025	0.05	ND	0.5	Boscalid	0.025	0.05	ND	10

Carbaryl	0.025	0.05	ND	0.5	Chlorantraniliprole	0.025	0.05	ND	40
Clofentezine	0.025	0.05	ND	0.5	Diazinon	0.025	0.05	ND	0.2
Dimethomorph	0.025	0.05	ND	20	Etoxazole	0.025	0.05	ND	1.5
Fenpyroximate	0.025	0.05	ND	2	Flonicamid	0.025	0.05	ND	2
Fludioxonil	0.025	0.05	ND	30	Hexythiazox	0.025	0.05	ND	2
Imidacloprid	0.025	0.05	ND	3	Kresoxim-methyl	0.025	0.05	ND	1
Malathion	0.025	0.05	ND	5	Metalaxyl	0.025	0.05	ND	15
Methomyl	0.025	0.05	ND	0.1	Myclobutanil	0.025	0.05	ND	9
Naled	0.025	0.05	ND	0.5	Oxamyl	0.025	0.05	ND	0.2
Permethrin	0.025	0.05	ND	20	Phosmet	0.025	0.05	ND	0.2
Piperonyl Butoxide	0.025	0.05	ND	8	Propiconazole	0.025	0.05	ND	20
Prallethrin	0.025	0.05	ND	0.4	Pyrethrin	0.025	0.05	ND	1
Pyridaben	0.025	0.05	ND	3	Spinosad A	0.025	0.05	ND	3
Spinosad D	0.025	0.05	ND	3	Spiromesifen	0.025	0.05	ND	12
Spirotetramat	0.025	0.05	ND	13	Tebuconazole	0.025	0.05	ND	2
Thiamethoxam	0.025	0.05	ND	4.5	Trifloxystrobin	0.025	0.05	ND	30
Acequinocyl	0.025	0.05	ND	4	Captan	0.025	0.05	2.300	5
Cypermethrin	0.025	0.05	ND	1	Cyfluthrin	0.025	0.05	ND	1
Fenhexamid	0.025	0.05	ND	10	Spinetoram J,L	0.025	0.05	ND	3
Pentachloronitrobenzene	0.025	0.05	ND	0.2					

RES - Residual Solvents Testing Analysis

Analyzed **Jul 11, 2019** | Instrument **GC/FID with Headspace Analyzer** | Method **M-002, SOP-013, SOP-018, SOP-02**

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.2	0.5	ND	5000	Butane (But)	0.2	0.5	ND	5000
Methanol (Metha)	0.2	0.5	ND	3000	Ethylene Oxide (EthOx)	0.2	0.5	ND	1
Pentane (Pen)	0.2	0.5	65.6	5000	Ethanol (Ethan)	0.2	0.5	ND	5000
Ethyl Ether (EthEt)	0.2	0.5	ND	5000	Acetone (Acet)	0.2	0.5	ND	5000
Isopropanol (2-Pro)	0.2	0.5	ND	5000	Acetonitrile (Acetonit)	0.2	0.5	ND	410
Methylene Chloride (MetCh)	0.2	0.5	ND	1	Hexane (Hex)	0.2	0.5	ND	290
Ethyl Acetate (EthAc)	0.2	0.5	ND	5000	Chloroform (Clo)	0.2	0.5	ND	1
Benzene (Ben)	0.2	0.5	ND	1	1-2-Dichloroethane (12-Dich)	0.2	0.5	ND	1
Heptane (Hep)	0.2	0.5	ND	5000	Trichloroethylene (TriClEth)	0.2	0.5	ND	1
Toluene (Toluene)	0.2	0.5	ND	890	M,P-Xylene (mp-xyl)			NT	2170
O-Xylene (o-xyl)			NT	2170	O,M,P-Xylene (omp-xyl)	0.2	0.5	ND	**

*The limit of 2170 ug/g for M,P-Xylene (mp-xyl) and O-Xylene (o-xyl) is to be intended as the two analytes combined.

NT Not Reported
 ND Not Detected
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager

Tue, 23 Jul 2019 17:08:32 -0800

(https://www.dropbox.com/s/4ha8teqkqj9zj8b/L17-427-1_PharmLabs_San_Diego.pdf?dl=0)

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2005 Certification L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.

